

Please amend the above-identified application as follows:

In the specification:

On page 1, line 18 to page 2, line 7, the section should be amended as follows:

B represents ~~[a<sub>1</sub>una]~~ an aminobicyclic group which consists of a 5- or 6-membered cyclic amino compound condensed with a 5- or 6-membered cycloalkyl ring which can have one or two unsaturated bonds, with the condition that B is bonded to the carbon atom of the carbonyl group on the nitrogen atom; each R represents a hydrogen atom or the R residues are combined together to form a chemical bond; R<sub>1</sub> represents a hydrogen atom, a C<sub>1-6</sub> alkyl group or an aralkyl group having from 7 to 10 carbon atoms; when there are geometrical isomers, each geometrical isomer, its E isomers and its Z isomers, its cis isomers and its trans isomers.

On page 3, lines 2-14, the section should be amended as follows:


B represents ~~[a<sub>1</sub>una]~~ an aminobicyclic group which consists of a 5- or 6-membered cyclic amino compound condensed with a 5- or 6-membered cycloalkyl ring which can have one or two unsaturated bonds, with the condition that B is bonded to the carbon atom of the carbonyl group on the nitrogen atom; each R represents a hydrogen atom or the R residues are combined together to form a chemical bond; R<sub>1</sub> represents a hydrogen atom, a C<sub>1-6</sub> alkyl group or an aralkyl group having from 7 to 10 carbon atoms;

Y represents a hydrogen atoms, a halogen or a C<sub>1-6</sub> alkyl or C<sub>1-6</sub> alkoxy group and n represents 1, 2 or 3; is preferred.

The Abstract should be amended to read as follows:

Abstract:

A subject matter of the present invention is the use of succinic acid derivatives of general formula (I):



in which:

A represents a phenyl group optionally substituted by one, two or three substituents chosen from a halogen or a C<sub>1-6</sub> alkyl or C<sub>1-6</sub> alkoxy group; a thienyl, furyl or pyridyl or a cycloalkyl having from 3 to 8 carbon atoms;

B represents ~~[lacuna]~~ an aminobicyclic group which consists of a 5- or 6-membered cyclic amino compound condensed with a 5- or 6-membered cycloalkyl ring which can have one or two unsaturated bonds, with the condition that B is bonded to the carbon atom of the carbonyl group on the nitrogen atom; each R represents a hydrogen atom or the R residues are combined together to form a chemical bond; R<sub>1</sub> represents a hydrogen atom, a C<sub>1-6</sub> alkyl group or an aralkyl group having from 7 to 10 carbon atoms; when there are geometrical isomers, each geometrical isomer, its E isomers and its Z isomers, its cis isomers and its trans isomers, in the treatment of inflammation